




DESIGNER	J.CHEN	 Part No. 42X6815 EC No. L13971 TITLE: Waikiki_1.1 Ver. V6.00 BLOCK DIAGRAM sheet 1 of 101 Thursday, May 31, 2007
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	
CLASS	CHUJO	
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		
LENOVO CONFIDENTIAL		

		ASM option			Area
Page	Unit#]	Waikiki-1.1	Kona-GM	Kona-GML	
		Crestline-GM	Crestline-GM	Crestline-GML	
7	U55	Crestline-GM	Crestline-GM	Crestline-GML	core
11	R200	75 ohm	0 ohm	0 ohm	graphics
11	R219	150 ohm	0 ohm	0 ohm	graphics
11	R220	150 ohm	0 ohm	0 ohm	graphics
19	R297	ASM	NOASM	NOASM	TPM
23	J29	ASM	NOASM	NOASM	4-in-1
23	R453	ASM	NOASM	NOASM	4-in-1
23	R438	ASM	NOASM	NOASM	4-in-1
23	R433	ASM	NOASM	NOASM	4-in-1
23	R426	ASM	NOASM	NOASM	4-in-1
23	R411	ASM	NOASM	NOASM	4-in-1
23	R454	ASM	NOASM	NOASM	4-in-1
23	R440	ASM	NOASM	NOASM	4-in-1
23	R435	ASM	NOASM	NOASM	4-in-1
23	R427	ASM	NOASM	NOASM	4-in-1
23	R416	ASM	NOASM	NOASM	4-in-1
23	R457	ASM	NOASM	NOASM	4-in-1
23	R441	ASM	NOASM	NOASM	4-in-1
23	R436	ASM	NOASM	NOASM	4-in-1
23	R430	ASM	NOASM	NOASM	4-in-1
23	R419	ASM	NOASM	NOASM	4-in-1
23	R443	ASM	NOASM	NOASM	4-in-1
23	D7006	ASM	NOASM	NOASM	4-in-1
23	C126	ASM	NOASM	NOASM	4-in-1
23	R99	ASM	NOASM	NOASM	4-in-1
23	C865	ASM	NOASM	NOASM	4-in-1
23	C867	ASM	NOASM	NOASM	4-in-1
23	C873	ASM	NOASM	NOASM	4-in-1
23	C872	ASM	NOASM	NOASM	4-in-1
23	R484	ASM	NOASM	NOASM	4-in-1
23	R461	ASM	NOASM	NOASM	4-in-1
23	R489	ASM	NOASM	NOASM	4-in-1
23	R466	ASM	NOASM	NOASM	4-in-1
23	C875	ASM	NOASM	NOASM	4-in-1
23	R468	ASM	NOASM	NOASM	4-in-1
23	R493	ASM	NOASM	NOASM	4-in-1
23	R577	ASM	NOASM	NOASM	4-in-1
23	R593	ASM	NOASM	NOASM	4-in-1
23	R469	ASM	NOASM	NOASM	4-in-1
23	R535	ASM	NOASM	NOASM	4-in-1
23	R585	ASM	NOASM	NOASM	4-in-1
23	C874	ASM	NOASM	NOASM	4-in-1
23	C876	ASM	NOASM	NOASM	4-in-1
23	R544	ASM	NOASM	NOASM	4-in-1
23	U18	ASM	NOASM	NOASM	4-in-1
23	U7011	ASM	NOASM	NOASM	4-in-1
23	U7012	ASM	NOASM	NOASM	4-in-1
23	U7013	ASM	NOASM	NOASM	4-in-1
23	R472	ASM	NOASM	NOASM	4-in-1
23	R548	ASM	NOASM	NOASM	4-in-1
23	R474	ASM	NOASM	NOASM	4-in-1
23	Q87	ASM	NOASM	NOASM	4-in-1
23	D55	ASM	NOASM	NOASM	4-in-1
23	C859	ASM	NOASM	NOASM	4-in-1
23	R409	ASM	NOASM	NOASM	4-in-1
23	R448	ASM	NOASM	NOASM	4-in-1
23	R7083	ASM	NOASM	NOASM	4-in-1
28	F16	ASM	NOASM	NOASM	camera
32	R280	NOASM	ASM	ASM	4-in-1
32	R561	ASM	NOASM	NOASM	4-in-1
37	U16	ASM	NOASM	NOASM	Bay
37	R43	ASM	NOASM	NOASM	Bay
37	R7084	NOASM	ASM	ASM	Bay
38	Q57	ASM	NOASM	NOASM	Bay
38	R652	ASM	NOASM	NOASM	TV-Out
39	R7158	ASM	NOASM	NOASM	Dock/Audio
39	R7159	ASM	NOASM	NOASM	Dock/Audio
39	Q7004	ASM	NOASM	NOASM	Dock/Audio
39	C7109	ASM	NOASM	NOASM	integrated mic
39	C7112	ASM	NOASM	NOASM	integrated mic
41	J3	ASM	NOASM	NOASM	integrated mic
41	A159	ASM	NOASM	NOASM	integrated mic
41	L12	NOASM	NOASM	NOASM	integrated mic
41	C147	ASM	NOASM	NOASM	integrated mic
41	C144	ASM	NOASM	NOASM	integrated mic
41	C139	ASM	NOASM	NOASM	integrated mic
41	C593	ASM	NOASM	NOASM	integrated mic
41	C588	ASM	NOASM	NOASM	integrated mic
41	R105	ASM	NOASM	NOASM	integrated mic
41	R38	ASM	NOASM	NOASM	integrated mic
41	R40	ASM	NOASM	NOASM	integrated mic
41	R340	ASM	NOASM	NOASM	integrated mic
41	R326	ASM	NOASM	NOASM	integrated mic
41	C7142	ASM	NOASM	NOASM	integrated mic
41	C7143	ASM	NOASM	NOASM	integrated mic
41	R7166	ASM	NOASM	NOASM	integrated mic
42	Q89	ASM	NOASM	NOASM	Dock/Audio
42	R608	ASM	NOASM	NOASM	Dock/Audio
42	R225	ASM	NOASM	NOASM	Dock/Audio
42	R290	ASM	NOASM	NOASM	Dock/Audio
42	Q30	ASM	NOASM	NOASM	Dock/Audio
		ASM option			Area
Page	Unit#]	Waikiki-1.1	Kona-GM	Kona-GML	
		Crestline-GM	Crestline-GM	Crestline-GML	
43	R49	ASM	NOASM	NOASM	Dock/Audio
43	R473	ASM	NOASM	NOASM	Dock/Audio
43	C283	ASM	NOASM	NOASM	Dock/Audio
43	C469	ASM	NOASM	NOASM	Dock/Audio
43	U11	ASM	NOASM	NOASM	Dock/Audio
45	R631	ASM	NOASM	NOASM	Dock/Audio
45	R632	ASM	NOASM	NOASM	Dock/Audio
48	U20	4-in-1	NOASM	NOASM	CardBus
48	F16	bead	0ohm	0ohm	1394
48	R931	ASM	NOASM	NOASM	1394
48	C256	ASM	NOASM	NOASM	1394
48	R988	ASM	NOASM	NOASM	1394
48	R989	ASM	NOASM	NOASM	1394
48	R998	ASM	NOASM	NOASM	1394
48	R999	ASM	NOASM	NOASM	1394
48	C877	ASM	NOASM	NOASM	1394
48	R997	ASM	NOASM	NOASM	1394
48	C891	ASM	NOASM	NOASM	1394
48	C894	ASM	NOASM	NOASM	1394
48	J28	ASM	NOASM	NOASM	1394
48	R985	ASM	NOASM	NOASM	1394
48	Y7	ASM	NOASM	NOASM	1394
48	C858	ASM	NOASM	NOASM	1394
48	C871	ASM	NOASM	NOASM	1394
50	R729	ASM	NOASM	NOASM	ExpressCard
50	R724	ASM	NOASM	NOASM	ExpressCard
50	R727	ASM	NOASM	NOASM	ExpressCard
50	R730	ASM	NOASM	NOASM	ExpressCard
50	Q74	ASM	NOASM	NOASM	ExpressCard
50	C800	ASM	NOASM	NOASM	ExpressCard
50	C264	ASM	NOASM	NOASM	ExpressCard
50	C265	ASM	NOASM	NOASM	ExpressCard
51	C822	ASM	NOASM	NOASM	4-in-1
51	C860	ASM	NOASM	NOASM	4-in-1
51	U48	ASM	NOASM	NOASM	ExpressCard
51	C306	ASM	NOASM	NOASM	ExpressCard
51	C320	ASM	NOASM	NOASM	ExpressCard
51	C275	ASM	NOASM	NOASM	ExpressCard
51	C322	ASM	NOASM	NOASM	ExpressCard
51	C382	ASM	NOASM	NOASM	ExpressCard
51	C384	ASM	NOASM	NOASM	ExpressCard
52	U12	ASM	NOASM	NOASM	Dock/GbE
52	C639	ASM	NOASM	NOASM	Dock/GbE
52	C655	ASM	NOASM	NOASM	Dock/GbE
52	C657	ASM	NOASM	NOASM	Dock/GbE
52	C667	ASM	NOASM	NOASM	Dock/GbE
52	R300	NOASM	ASM	ASM	Dock/GbE
52	RMT01	NOASM	ASM	ASM	Dock/GbE
52	RMT02	NOASM	ASM	ASM	Dock/GbE
52	RMT03	NOASM	ASM	ASM	Dock/GbE
52	RMT04	NOASM	ASM	ASM	Dock/GbE
52	RMT05	NOASM	ASM	ASM	Dock/GbE
52	C637	ASM	NOASM	NOASM	Dock/GbE
55	F13	ASM	NOASM	NOASM	Dock/GbE
56	J11	ASM	NOASM	NOASM	Dock/Modem
59	J23	ASM	NOASM	NOASM	Dock
59	R515	ASM	NOASM	NOASM	Dock
59	Q85	ASM	NOASM	NOASM	Dock
59	R731	ASM	NOASM	NOASM	Dock
59	R657	ASM	NOASM	NOASM	Dock
59	C24	ASM	NOASM	NOASM	Dock
59	F14	ASM	NOASM	NOASM	Dock
59	D2	ASM	NOASM	NOASM	Dock
59	D61	ASM	NOASM	NOASM	Dock
59	D91	ASM	NOASM	NOASM	Dock
59	C880	ASM	NOASM	NOASM	Dock
59	C881	ASM	NOASM	NOASM	Dock
59	C879	ASM	NOASM	NOASM	Dock
59	C764	ASM	NOASM	NOASM	Dock
59	C550	ASM	NOASM	NOASM	Dock
59	C566	ASM	NOASM	NOASM	Dock
59	R302	ASM	NOASM	NOASM	Dock
63	F15	ASM	NOASM	NOASM	FPR/TouchPad
63	R15	ASM	NOASM	NOASM	FPR/TouchPad
63	R18	ASM	NOASM	NOASM	FPR/TouchPad
63	R24	ASM	NOASM	NOASM	FPR/TouchPad
63	R25	ASM	NOASM	NOASM	FPR/TouchPad
63	J8	ASM	NOASM	NOASM	FPR/TouchPad
63	F6	ASM	NOASM	NOASM	FPR/TouchPad
63	C208	ASM	NOASM	NOASM	FPR/TouchPad
63	C5	ASM	NOASM	NOASM	FPR/TouchPad
63	C6	ASM	NOASM	NOASM	FPR/TouchPad
63	U24	ASM	NOASM	NOASM	FPR/TouchPad
63	R7085	NOASM	ASM	ASM	FPR/TouchPad
63	R7086	NOASM	ASM	ASM	FPR/TouchPad
65	U26	ASM	NOASM	NOASM	Dock/SIO
65	R7118	ASM	NOASM	NOASM	Dock/SIO
65	C340	ASM	NOASM	NOASM	Dock/SIO
65	C345	ASM	NOASM	NOASM	Dock/SIO
65	C351	ASM	NOASM	NOASM	Dock/SIO
65	Q84	ASM	NOASM	NOASM	Dock/SIO
		ASM option			Area
Page	Unit#]	Waikiki-1.1	Kona-GM	Kona-GML	
		Crestline-GM	Crestline-GM	Crestline-GML	
65	R154	ASM	NOASM	NOASM	Dock/SIO
65	C464	ASM	NOASM	NOASM	Dock/SIO
65	R337	ASM	NOASM	NOASM	Dock/SIO
65	R235				







REF DES	FOR ITP700FLEX	FOR ITP-->XDP
J4	NO_ASM---->ASM	NO_ASM---->ASM
C445	ASM---->ASM	ASM---->ASM
R717	ASM(NO CHANGE)	ASM---->51 5% ASM
R476	ASM---->ASM	ASM---->ASM
R477	ASM---->ASM	ASM---->1K 5% ASM
R415	ASM(NO CHANGE)	ASM(NO CHANGE)
R419	ASM(NO CHANGE)	ASM-->NO_ASM
R420	ASM(NO CHANGE)	ASM---->NO_ASM
R471	ASM(NO CHANGE)	ASM---->51 5% ASM
R475	ASM(NO CHANGE)	ASM---->51 5% ASM


NOTE: C445,R476 AND R477 "ASM" BEFORE SIT, "NO_ASM" FROM SIT.

- (*1) TCK SIGNAL IS BRANCHED AT YONAH PIN
(*2) -CPURST SIGNAL IS BRANCHED AT CRESTLINE PIN



DESIGNER	J.CHEN	
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	Part No . 42X6815
CLASS	CHUJO	EC No . L13971
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		TITLE: Waikiki_1.1 Ver. V6.00
LENOVO CONFIDENTIAL		ITP CONN
		sheet 6 of 101 Thursday, May 31, 2007




DESIGNER	J.CHEN	
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	Part No . 42X6815
CLASS	CHUJO	EC No . L13971
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		TITLE: Waikiki_1.1 Ver. V6.00
LENOVO CONFIDENTIAL		965 DDR2-A
		sheet 8 of 101 Thursday, May 31, 2007







DESIGNER	J.CHEN	lenovo联想
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	Part No . 42X6815
CLASS	CHUJO	EC No . L13971
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		TITLE: Waikiki_1.1 Ver. V6.00
LENOVO CONFIDENTIAL		NB 965 DDR2-B
		sheet 9 of 101 Thursday, May 31, 2007







DESIGNER	J.CHEN	lenovo联想
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	Part No . 42X6815
CLASS	CHUJO	EC No . L13971
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		TITLE: Waikiki_1.1 Ver. V6.00
LENOVO CONFIDENTIAL		GRAPHICS
		sheet 11 of 101 Thursday, May 31, 2007







Add two more 0.22uf/10v for VCC1R8A at J21


DESIGNER	J.CHEN	lenovo联想
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	Part No . 42X6815
CLASS	CHUJO	EC No . L13971
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		TITLE: Waikiki_1.1 Ver. V6.00
LENOVO CONFIDENTIAL		DDR2 SO-DIMM
		sheet 15 of 101
		Thursday, May 31, 2007





Add two more 0.22uf/10v for VCC1R8A at J30

DESIGNER	J.CHEN	
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	
CLASS	CHUJO	
<p>THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.</p>		Part No . 42X6815 EC No . L13971 TITLE: Walkiki_1.1 Ver. V6.00 DDRII 2
LENOVO CONFIDENTIAL		sheet 16 of 101 Thursday, May 31, 2007





DESIGNER	J.CHEN	
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	Part No. 42X6815
CLASS	CHUJO	EC No. L13971
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		TITLE: Waikiki_1.1 Ver. V6.00
LENOVO CONFIDENTIAL		sheet 17 of 101 Thursday, May 31, 2007


PLACE 1 CAP FOR EVERY 2 BITS TERMINATED TO VCC0R9B.



DESIGNER	J.CHEN	<div>lenovo联想</div>
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	
CLASS	CHUJO	
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		TITLE: Waikiki_1.1 Ver. V6.00
LENOVO CONFIDENTIAL		sheet 18 of 101 Thursday, May 31, 2007



DESIGNER	J.CHEN	
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	
CLASS	CHUJO	
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		Part No . 42X6815
		EC No . L13971
		TITLE: Waikiki_1.1 Ver. V6.00
		CRT DDC CLK/DATA
LENOVO CONFIDENTIAL		sheet 21 of 101 Thursday, May 31, 2007




DESIGNER	J.CHEN	<div>lenovo联想</div>
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	
CLASS	CHUJO	Part No . 42X6815
<div>THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.</div>		EC No . L13971
		TITLE: Waikiki_1.1 Ver. V6.00
		WPAN LED CONTROL
LENOVO CONFIDENTIAL		sheet 22 of 101 Thursday, May 31, 2007

Notic:Change LED to right-angle type.


$\overline{XD_D}[7..0], \overline{XD_RE}, \overline{XD_WE}$ should be the same trace length
 $\overline{XD_RE}(\overline{SD_CLK}$ and $\overline{MS_CLK})$ need GND guard

NO 4-IN-1 function SUPPORT:

All compeneents in this should be NO_ASM

DESIGNER	J.CHEN	 Part No . 42X6815 EC No . L13971 TITLE: Waikiki_1.1 Ver. V6.00 DAV3_INTEG_SIV_W sheet 23 of 101 Thursday, May 31, 2007
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	
CLASS	CHUJO	
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		
LENOVO CONFIDENTIAL		


BLACK PAGE

DESIGNER	J.CHEN	
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	
CLASS	CHUJO	
<small>THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.</small>		Part No . 42X6815
		EC No . L13971
		TITLE: Waikiki_1.1 Ver. V6.00
LENOVO CONFIDENTIAL		BLANK
		sheet 24 of 101 Thursday, May 31, 2007


BLACK PAGE


DESIGNER	J.CHEN	<div>lenovo联想</div>
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	
CLASS	CHUJO	
<div>THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.</div>		Part No . 42X6815
		EC No . L13971
		TITLE: Waikiki_1.1 Ver. V6.00
LENOVO CONFIDENTIAL		BLANK
		sheet 25 of 101 Thursday, May 31, 2007


BLACK PAGE


DESIGNER	J.CHEN	
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	
CLASS	CHUJO	
<small>THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.</small>		Part No . 42X6815
		EC No . L13971
		TITLE: Waikiki_1.1 Ver. V6.00
LENOVO CONFIDENTIAL		BLANK
		sheet 26 of 101 Thursday, May 31, 2007

BLACK PAGE


DESIGNER	J.CHEN	
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	
CLASS	CHUJO	
<small>THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.</small>		Part No . 42X6815
		EC No . L13971
		TITLE: Waikiki_1.1 Ver. V6.00
LENOVO CONFIDENTIAL		Check Point Card
		sheet 27 of 101 Thursday, May 31, 2007



DESIGNER	J.CHEN	
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	Part No . 42X6815
CLASS	CHUJO	EC No . L13971
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		TITLE: Waikiki_1.1 Ver. V6.00
LENOVO CONFIDENTIAL		VGA_CONN
		sheet 29 of 101 Thursday, May 31, 2007





DESIGNER	J.CHEN	<div>lenovo联想</div> <div>Part No . 42X6815</div> <div>EC No . L13971</div> <div>TITLE: Waikiki_1.1 Ver. V6.00</div> <div>PATA I/F PU</div> <div>sheet 30 of 101</div> <div>Thursday, May 31, 2007</div>
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	
CLASS	CHUJO	
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		
LENOVO CONFIDENTIAL		




- 0 : USB Port
1 : USB Port
2 : PCIE MINICARD
3 : TO PCI EXPRESS CARD
4 : TO CAMERA (LCD CONN)
5 : NC
6 : TO BLUETOOTH
7 : TO FINGER PRINT
8 : USB PORT3
9 : TO DOCKING USB HUB


DESIGNER	J.CHEN	lenovo联想
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	Part No . 42X6815
CLASS	CHUJO	EC No . L13971
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		TITLE: Waikiki_1.1 Ver. V6.00
LENOVO CONFIDENTIAL		ICH8-3
		sheet 33 of 101 Thursday, May 31, 2007







DESIGNER	J.CHEN	<div>lenovo联想</div> <div>Part No . 42X6815</div> <div>EC No . L13971</div> <div>TITLE: Waikiki_1.1 Ver. V6.00</div> <div>FWH,RTC BATTERY</div> <div>sheet 35 of 101</div> <div>Thursday, May 31, 2007</div>
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	
CLASS	CHUJO	
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		
LENOVO CONFIDENTIAL		




DESIGNER	J.CHEN	
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	Part No . 42X6815
CLASS	CHUJO	EC No . L13971
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		TITLE: Waikiki_1.1 Ver. V6.00
LENOVO CONFIDENTIAL		SATA HDD CONN
		sheet 36 of 101 Thursday, May 31, 2007





	-BAY_ATTACH	BAY_IS_HDD
NO DEVICE	H	DON'T CARE
OPTICAL	L	L
HDD	L	H

DESIGNER	J.CHEN	
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	
CLASS	CHUJO	
<p>THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.</p>		Part No. 42X6815 EC No. L13971
LENOVO CONFIDENTIAL		TITLE: Waikiki_1.1 Ver. V6.00 BAY IF CONN sheet 37 of 101 Thursday, May 31, 2007




BAY	Swappable	Fixed
Q57	ASM	NO_ASM
R652	ASM	NO_ASM

DESIGNER	J.CHEN	
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	
CLASS	CHUJO	
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		PART No . 42X6815
		EC No . L13971
		TITLE: Waikiki_1.1 Ver. V6.00
		USB PWR/CONN
LENOVO CONFIDENTIAL		sheet 38 of 101 Thursday, May 31, 2007




DESIGNER	J.CHEN	<div>lenovo联想</div>
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	
CLASS	CHUJO	
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		Part No . 42X6815
		EC No . L13971
		TITLE: Waikiki_1.1 Ver. V6.00
LENOVO CONFIDENTIAL		AUDIO MISC
		sheet 40 of 101 Thursday, May 31, 2007





Assemble Option


	Wnote-1.1	Kona-1.1
J3	ASM	NOASM
U59	ASM	NOASM
L12	NOASM	NOASM
C147	NOASM	NOASM
C144	ASM	NOASM
C139	ASM	NOASM
C593	ASM	NOASM
C588	ASM	NOASM
C7109	ASM	NOASM (page39)
C7112	ASM	NOASM (page39)
R105	ASM	NOASM
R38	ASM	NOASM
R40	ASM	NOASM
R340	ASM	NOASM
R326	ASM	NOASM
C7142	ASM	NOASM
C7143	ASM	NOASM
R7166	ASM	NOASM





ALL PART NEED PLACE NEAR
INTERNAL MICPHONE

DESIGNER	J.CHEN		
CHECKED	Ogawa & OKU		
APPROVED	CHUJO		Part No . 42X6815
CLASS	CHUJO		EC No . L13971
<p>THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.</p>			TITLE: Waikiki_1.1 Ver. V6.00
			AUDIO INT MIC
LENOVO CONFIDENTIAL			sheet 41 of 101 Thursday, May 31, 2007




DESIGNER	J.CHEN	
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	
CLASS	CHUJO	
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		Part No . 42X6815
		EC No . L13971
		TITLE: Waikiki_1.1 Ver. V6.00
		AUDIO SPEAKER
LENOVO CONFIDENTIAL		sheet 44 of 101 Thursday, May 31, 2007







DESIGNER	J.CHEN	<div>lenovo联想</div> <div>Part No . 42X6815</div> <div>EC No . L13971</div> <div>TITLE: Waikiki_1.1 Ver. V6.00</div> <div>AUDIO HDP BEEP</div> <div>sheet 46 of 101</div> <div>Thursday, May 31, 2007</div>
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	
CLASS	CHUJO	
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		
LENOVO CONFIDENTIAL		



DESIGNER	J.CHEN	<div>lenovo联想</div> <div>Part No . 42X6815</div> <div>EC No . L13971</div> <div>TITLE: Waikiki_1.1 Ver. V6.00</div> <div>MDC Conexant CX20548</div> <div>sheet 47 of 101</div> <div>Thursday, May 31, 2007</div>
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	
CLASS	CHUJO	
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		
LENOVO CONFIDENTIAL		



DESIGNER	J.CHEN	
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	Part No . 42X6815
CLASS	CHUJO	EC No . L13971
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		TITLE: Waikiki_1.1 Ver. V6.00
LENOVO CONFIDENTIAL		CARD BUS CONTROLLER(2/2)
		sheet 49 of 101 Thursday, May 31, 2007



YES

49 A_CADDR[25:0] >>

49 A_DBUS[15:0] <<

49 -ACD1 <<

49 -ACE1 >>

49 -ACE2 >>

49 AVS1 >>

49 -A-OE >>

49 -A-IOR >>

49 -A-IOW >>

49 -A-WE >>

49 -AIRQ <<

49 AVS2 <<

49 ARESET >>

49 -AWAIT <<

49 -AINPACK <<

49 -AREG <<

49 -ASPKR <<

49 -ACHSTS <<

49 -ACARD16 <<

49 -ACD2 <<

A_VCC5

A_VPP5

A_VCC5

A_DBUS8

A_DBUS9

A_DBUS1

A_DBUS10

A_DBUS2

C454

0.01UF/25V

C_0402

TYCO_C_6123215

GND/CB_35

GND/CB_1

CB_36

CB_2

CB_37

CB_3

CB_38

CB_4

CB_39

CB_5

CB_40

CB_7

CB_41

CB_42

GND

CB_8

CB_43

CB_9

CB_44

CB_10

CB_45

CB_11

CB_46

CB_12

CB_47

CB_13

CB_48

CB_14

CB_49

CB_15

CB_50

CB_16

CB_17/CB_51

CB_18/CB_52

CB_19

CB_54

GND

CB_20

CB_55

CB_21

CB_56

CB_22

CB_57

CB_23

GND

CB_58

CB_24

CB_59

CB_25

CB_60

CB_26

GND

CB_61

CB_27

CB_62

CB_28

CB_63

CB_29

GND

CB_64

GND

CB_30

CB_65

CB_31

CB_66

CB_32

CB_67

CB_33

CB_68

GND/CB_34

GND

GND

VCC3AUX_EXC

VCC1R5_EXC

VCC3_EXC

VCC3M

R_0402

100K +5%

100K +5%

R_0402

100K +5%

100K +5%

NO_ASM

CPUSB

PCIE_WAKE

32,53,57,59,64

-PERST

51

PCIE_CLK_EXC

19

PCIE_CLK_EXC

19

PCIE_EXC_RXN

33

PCIE_EXC_RXP

33

PCIE_EXC_TXN

33

PCIE_EXC_TXP

33

VCC5B

EXC_PWRG

51

Q74

2SK3541

soT_vml3

VCC3M

VCC3M

R_0402

100K +5%

NO_ASM

R_0402

100K +5%

NO_ASM

A_VPP5

C_0402

0.1UF/10V

C277

A_VCC5

C_0402

0.1UF/10V

C276

place near PCMCIA SLOT

VCC3_EXC

C_0402

0.1UF/10V

C800

VCC3AUX_EXC

C_0402

0.1UF/10V

C264

VCC1R5_EXC

C_0402

0.1UF/10V

C265

ExpressCard	YES	NO
C264	ASM	NO_ASM
C265	ASM	NO_ASM
C800	ASM	NO_ASM
Q74	ASM	NO_ASM
R724	ASM	NO_ASM
R727	ASM	NO_ASM
R729	ASM	NO_ASM
R730	ASM	NO_ASM

DESIGNER J.CHEN

CHECKED Ogawa & OKU

APPROVED CHUJO

CLASS CHUJO

TITLE Waikiki 1.1 Ver. V6.00



THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A

Part No. 42X6815

EC No. L13971


lenovo 联想

[illegible]




ExpressCard	YES	NO
C275	ASM	NO_ASM
C306	ASM	NO_ASM
C320	ASM	NO_ASM
C322	ASM	NO_ASM
C382	ASM	NO_ASM
C384	ASM	NO_ASM
C822	ASM	NO_ASM
C860	ASM	NO_ASM
U48	ASM	NO_ASM


DESIGNER	J.CHEN	
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	Part No. 42X6815
CLASS	CHUJO	EC No. L13971
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		TITLE: Waikiki_1.1 Ver. V6.00
LENOVO CONFIDENTIAL		CARDBUS PWR CONTROL
		sheet 51 of 101 Thursday, May 31, 2007



	DOCK	NO DOCK
U12	ASM	NO_ASM
C639	ASM	NO_ASM
C655	ASM	NO_ASM
C657	ASM	NO_ASM
C667	ASM	NO_ASM
R300	ASM	NO_ASM
RN701	NO_ASM	ASM
RN702	NO_ASM	ASM
RN703	NO_ASM	ASM
RN704	NO_ASM	ASM
RN705	NO_ASM	ASM
C637	ASM	NO_ASM



DESIGNER	J.CHEN	
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	
CLASS	CHUJO	
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		
TITLE: Waikiki_1.1 Ver. V6.00		
GBE LAN SW		
sheet 52 of 101		
Thursday, May 31, 2007		
LENOVO CONFIDENTIAL		




EEPROM Pin Strapping Table


U7003	R7075/R7076	R7077/R7078	R7079/R7080	R7081/R7082
24LC02	NO_ASM / 4.7K	NO_ASM / 4.7K	4.7K / NO_ASM	NO_ASM / 4.7K
24LC04	NO_ASM / 4.7K	NO_ASM / 4.7K	4.7K / NO_ASM	NO_ASM / 4.7K
24C64	4.7K / NO_ASM	4.7K / NO_ASM	4.7K / NO_ASM	NO_ASM / 4.7K

- Self Boot case: 24LC02 (Better cost)
- Self Boot case: 24LC04 (Recommend)
- Non Self Boot but Non ASF2.0 : 24C64
- ASF2.0 Support Case : 24C512


DESIGNER	J.CHEN	
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	
CLASS	CHUJO	
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		Part No. 42X6815
LENOVO CONFIDENTIAL		EC No. L13971
		TITLE: Walkirk_1.1 Ver. V6.00
		sheet 53 of 101
		Thursday, May 31, 2007


BLANK

DESIGNER	J.CHEN	
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	
CLASS	CHUJO	
<div>THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.</div>		Part No . 42X6815
		EC No . L13971
		TITLE: Waikiki_1.1 Ver. V6.00
LENOVO CONFIDENTIAL		MICRO PCIE CONN
		sheet 54 of 101 Thursday, May 31, 2007






	DOCK	NO DOCK
F13	ASM	NO_ASM


DESIGNER	J.CHEN	 Part No . 42X6815 EC No . L13971 TITLE: Waikiki_1.1 Ver. V6.00 GBE MAGNETICS sheet 55 of 101 Thursday, May 31, 2007
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	
CLASS	CHUJO	
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		
LENOVO CONFIDENTIAL		



DESIGNER	J.CHEN	<div>lenovo联想</div> <div>Part No . 42X6815</div> <div>EC No . L13971</div> <div>TITLE: Waikiki_1.1 Ver. V6.00</div> <div>EEPROM/FLASH/SHARED</div> <div>sheet 58 of 101</div> <div>Thursday, May 31, 2007</div>
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	
CLASS	CHUJO	
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		
LENOVO CONFIDENTIAL		





DESIGNER	J.CHEN	
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	
CLASS	CHUJO	
<p>THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.</p>		<p>Part No. 42X6815</p> <p>EC No. L13971</p>
<p>LENOVO CONFIDENTIAL</p>		<p>TITLE: Waikiki_1.1 Ver. V6.00</p> <p>DOCK CONN</p>
		<p>sheet 59 of 101</p> <p>Thursday, May 31, 2007</p>





E10A DEBUG I/F	ENABLE	DISABLE(FINAL LOGIC)
R0455	NO_ASM	ASM
R0971	NO_ASM	ASM
D0608	ASM	NO_ASM
R2009	ASM	NO_ASM
D755	ASM	NO_ASM
R0331	ASM	NO_ASM
R327	ASM	NO_ASM


DESIGNER	J.CHEN	lenovo联想
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	Part No . 42X6815
CLASS	CHUJO	EC No . L13971
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		TITLE: Waikiki_1.1 Ver. V6.00
LENOVO CONFIDENTIAL		H8S(1/2)
		sheet 60 of 101 Thursday, May 31, 2007







TouchPad/FingerPrint Support		
	SUPPORT	NO SUPPORT
F15	ASM	NO-ASM
R15	ASM	NO-ASM
R18	ASM	NO-ASM
R24	ASM	NO-ASM
R25	ASM	NO-ASM
J8	ASM	NO-ASM
F6	ASM	NO-ASM
C208	ASM	NO-ASM
C643	NO-ASM	NO-ASM
C5	ASM	NO-ASM
C6	ASM	NO-ASM
U24	ASM	NO-ASM
R26	ASM	ASM
R32	ASM	ASM
R7085	NO-ASM	ASM
R7086	NO-ASM	ASM




DESIGNER	J.CHEN	
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	
CLASS	CHUJO	
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		Part No . 42X6815
		EC No . L13971
		TITLE: Waikiki_1.1 Ver. V6.00
		TP CONN
LENOVO CONFIDENTIAL		sheet 63 of 101 Thursday, May 31, 2007







DESIGNER	J.CHEN	<div>lenovo联想</div> <div>Part No . 42X6815</div> <div>EC No . L13971</div> <div>TITLE: Waikiki_1.1 Ver. V6.00</div> <div>WIRELESS DISABLE SW</div> <div>sheet 66 of 101</div> <div>Thursday, May 31, 2007</div>
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	
CLASS	CHUJO	
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		
LENOVO CONFIDENTIAL		

BLACK PAGE


DESIGNER	J.CHEN	
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	
CLASS	CHUJO	
<div>THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.</div>		Part No . 42X6815
		EC No . L13971
		TITLE: Waikiki_1.1 Ver. V6.00
LENOVO CONFIDENTIAL		SERIAL INTERFACE
		sheet 67 of 101 Thursday, May 31, 2007

BLACK PAGE


DESIGNER	J.CHEN	
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	
CLASS	CHUJO	
<div>THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.</div>		Part No . 42X6815
		EC No . L13971
		TITLE: Waikiki_1.1 Ver. V6.00
LENOVO CONFIDENTIAL		BLANK PAGE
		sheet 68 of 101 Thursday, May 31, 2007





DESIGNER	J.CHEN	lenovo联想
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	Part No . 42X6815
CLASS	CHUJO	EC No . L13971
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		TITLE: Waikiki_1.1 Ver. V6.00
LENOVO CONFIDENTIAL		THERMAL SENSOR
		sheet 69 of 101
		Thursday, May 31, 2007





TPM support	YES	NO
R297	ASM	NOASM
U31	ASM	NOASM
C602	ASM	NOASM
C607	ASM	NOASM
C615	ASM	NOASM
R464	ASM	NOASM
R7145	ASM	NOASM
R7146	ASM	NOASM



DESIGNER	J.CHEN	
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	
CLASS	CHUJO	
<p>THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.</p>		Part No. 42X58515 EC No. I.13971
LENOVO CONFIDENTIAL		TITLE: Walkiik_1 Ver. V6.00 I2C BUS/SMBUS sheet 70 of 101 Thursday, May 31, 2007












DESIGNER	J.CHEN	
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	Part No . 42X6815
CLASS	CHUJO	EC No . L13971
<small>THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.</small>		TITLE: Waikiki_1.1 Ver. V6.00
LENOVO CONFIDENTIAL		FAN CONN
		sheet 71 of 101 Thursday, May 31, 2007




	AD22290	ADXL322/ LIS244AL	LIS2L02AL	NO_ACC
R172	NO_ASM	ASM	ASM	NO_ASM
R173	NO_ASM	ASM	ASM	NO_ASM
R401	NO_ASM	NO_ASM	ASM	ASM
R957	NO_ASM	ASM	NO_ASM	ASM
U9	AD22290	NO_ASM	LIS2L02AL	NO_ASM
U65	NO_ASM	ASM	NO_ASM	NO_ASM
U13	NO_ASM	ASM	NO_ASM	NO_ASM
U39	ASM	NO_ASM	NO_ASM	NO_ASM
Q105	ASM	ASM	ASM	NO_ASM
D97	ASM	ASM	ASM	NO_ASM
R956	ASM	NO_ASM	ASM	NO_ASM
R62	ASM	ASM	ASM	NO_ASM
R885	47-OHM	10-OHM	10-OHM	NO_ASM
C829	ASM	ASM	ASM	NO_ASM
C969	ASM	ASM	ASM	NO_ASM
R914	ASM	NO_ASM	NO_ASM	NO_ASM
R959	ASM	ASM	ASM	NO_ASM
C830	0.1UF	0.1UF	0.033UF	NO_ASM
C847	0.1UF	0.1UF	0.033UF	NO_ASM
R960	ASM	NO_ASM	NO_ASM	NO_ASM
R961	ASM	NO_ASM	NO_ASM	NO_ASM
R963	ASM	NO_ASM	NO_ASM	NO_ASM
R565	ASM	NO_ASM	NO_ASM	NO_ASM

	AD22290	ADXL322/ LIS244AL	LIS2L02AL	NO_ACC
R964	ASM	NO_ASM	NO_ASM	NO_ASM
R965	ASM	NO_ASM	NO_ASM	NO_ASM
R966	ASM	NO_ASM	NO_ASM	NO_ASM
R465	ASM	NO_ASM	NO_ASM	NO_ASM
R969	56K	56K	56K	NO_ASM
C938	ASM	ASM	NO_ASM	NO_ASM
R970	56K	56K	56K	NO_ASM
C956	ASM	ASM	ASM	NO_ASM

DESIGNER	J.CHEN	
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	Part No. 42X6815
CLASS	CHUJO	EC No. L13971
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		TITLE: Waikiki_1.1 Ver. V6.00
LENOVO CONFIDENTIAL		G-SENSOR
		sheet 72 of 101 Thursday, May 31, 2007




DESIGNER	J.CHEN	
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	Part No . 42X6815
CLASS	CHUJO	EC No . L13971
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		TITLE: Waikiki_1.1 Ver. V6.00
LENOVO CONFIDENTIAL		EMC DECOUPLING
		sheet 73 of 101 Thursday, May 31, 2007



	DOCK	NO DOCK
C471	ASM	NO_ASM
C472	ASM	NO_ASM
C473	ASM	NO_ASM
C648	ASM	NO_ASM
C651	ASM	NO_ASM
C653	ASM	NO_ASM
C656	ASM	NO_ASM
C664	ASM	NO_ASM
R359	ASM	NO_ASM
R360	ASM	NO_ASM
R362	ASM	NO_ASM
R434	ASM	NO_ASM
R500	ASM	NO_ASM
R807	ASM	NO_ASM
U14	ASM	NO_ASM
U40	ASM	NO_ASM
U50	ASM	NO_ASM
R7087	NO_ASM	ASM
R7088	NO_ASM	ASM
R7089	NO_ASM	ASM


DESIGNER	J.CHEN	lenovo 联想
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	Part No . 42X6815
CLASS	CHUJO	EC No . L13971
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		TITLE: Waikiki_1.1 Ver. V6.00
LENOVO CONFIDENTIAL		RGB SWITCH
		sheet 74 of 101 Thursday, May 31, 2007


DC-IN




PEAK SHIFT	YES	NO
R662	NO_ASM	ASM
R369	ASM	NO_ASM
Q78	ASM	NO_ASM
Q51	ASM	NO_ASM

DESIGNER	J.CHEN	
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	Part No . 42X6815
CLASS	CHUJO	EC No . L13971
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		TITLE: Waikiki_1.1 Ver. V6.00
LENOVO CONFIDENTIAL		DC-IN
sheet 75 of 101		Thursday, May 31, 2007







	Swap Bay	Fixed Bay
R3	ASM	NO-ASM
C2	ASM	NO-ASM
Q56	ASM	NO-ASM
Q63	ASM	NO-ASM
R580	ASM	NO-ASM
D49	ASM	NO-ASM
D89	ASM	NO-ASM

DESIGNER	J.CHEN	 Part No . 42X6815 EC No . L13971 TITLE: Waikiki_1.1 Ver. V6.00 CHARGE SELECTOR sheet 77 of 101 Thursday, May 31, 2007
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	
CLASS	CHUJO	
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		
LENOVO CONFIDENTIAL		

MAIN BAT CONN










SECOND BAT CONN




	Swap Bay	Fixed Bay
J17	ASM	NO-ASM
F11	ASM	NO-ASM
R265	ASM	NO-ASM
R332	ASM	NO-ASM
C198	ASM	NO-ASM
C195	ASM	NO-ASM
C201	ASM	NO-ASM
Q7	ASM	NO-ASM
Q9	ASM	NO-ASM
Q8	ASM	NO-ASM
Q10	ASM	NO-ASM
R630	ASM	NO-ASM
R284	ASM	NO-ASM
R636	ASM	NO-ASM
R7090	NO-ASM	ASM
R7091	NO-ASM	ASM
R7092	NO-ASM	ASM
R7093	NO-ASM	ASM
R7094	NO-ASM	ASM
R7095	NO-ASM	ASM
F10	ASM	NO-ASM
D23	ASM	NO-ASM


DESIGNER	J.CHEN	
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	Part No. 42X6815
CLASS	CHUJO	EC No. L13971
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		TITLE: Waikiki_1.1 Ver. V6.00
LENOVO CONFIDENTIAL		BATTERY INPUT
		sheet 78 of 101 Thursday, May 31, 2007





DESIGNER	J.CHEN	
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	Part No . 42X6815
CLASS	CHUJO	EC No . L13971
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		TITLE: Waikiki_1.1 Ver. V6.00
		POWER SEQUENCE
LENOVO CONFIDENTIAL		sheet 80 of 101 Thursday, May 31, 2007





DESIGNER	J.CHEN	
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	Part No . 42X6815
CLASS	CHUJO	EC No . L13971
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		TITLE: Waikiki_1.1 Ver. V6.00
		VCC3M/VCC5M (MAX8774)
LENOVO CONFIDENTIAL		sheet 81 of 101 Thursday, May 31, 2007






10UF 6.3V X5R 0805 1/16W X 16PCS





10UF 6.3V X5R 0805 1/16W X 16PCS
(USE ADP3207A)


DESIGNER	J.CHEN	
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	Part No . 42X6815
CLASS	CHUJO	EC No . L13971
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		TITLE: Waikiki_1.1 Ver. V6.00
		VCCCPUCORE DECOUPLING
LENOVO CONFIDENTIAL		sheet 83 of 101 Thursday, May 31, 2007


BLACK PAGE


DESIGNER	J.CHEN	<div>lenovo联想</div>
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	
CLASS	CHUJO	
<div>THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.</div>		Part No . 42X6815
		EC No . L13971
		TITLE: Waikiki_1.1 Ver. V6.00
LENOVO CONFIDENTIAL		VCC1R5M
		sheet 84 of 101 Thursday, May 31, 2007



DESIGNER	J.CHEN	
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	Part No . 42X6815
CLASS	CHUJO	EC No . L13971
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		TITLE: Waikiki_1.1 Ver. V6.00
LENOVO CONFIDENTIAL		VCC1R8A/VCC0R9RA(MAX8632)
		sheet 86 of 101 Thursday, May 31, 2007








DESIGNER	J.CHEN	 Part No . 42X6815 EC No . L13971 TITLE: Waikiki_1.1 Ver. V6.00 VCC1R25B(VT322) sheet 88 of 101 Thursday, May 31, 2007
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	
CLASS	CHUJO	
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		
LENOVO CONFIDENTIAL		


BLACK PAGE


DESIGNER	J.CHEN	<div>lenovo联想</div>
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	
CLASS	CHUJO	
<div>THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.</div>		Part No . 42X6815
		EC No . L13971
		TITLE: Waikiki_1.1 Ver. V6.00
		LOAD SW AMT
LENOVO CONFIDENTIAL		sheet 89 of 101 Thursday, May 31, 2007




DESIGNER	J.CHEN	<div>lenovo联想</div>
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	
CLASS	CHUJO	Part No . 42X6815
<div>THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.</div>		EC No . L13971
		TITLE: Waikiki_1.1 Ver. V6.00
		PWRG
LENOVO CONFIDENTIAL		sheet 90 of 101 Thursday, May 31, 2007








DESIGNER	J.CHEN	
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	
CLASS	CHUJO	Part No . 42X6815
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		EC No . L13971
LENOVO CONFIDENTIAL		TITLE: Waikiki_1.1 Ver. V6.00
		LOAD SW VIDEO
		sheet 92 of 101 Thursday, May 31, 2007





DESIGNER	J.CHEN	
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	
CLASS	CHUJO	
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		TITLE: Waikiki_1.1 Ver. V6.00
LENOVO CONFIDENTIAL		sheet 93 of 101 Thursday, May 31, 2007

	SWAP BAY	FIXED BAY
Q92	ASM	NO_ASM
R986	ASM	NO_ASM
R321	ASM	NO_ASM
D33	ASM	NO_ASM
C365	ASM	NO_ASM
R7096	NO_ASM	ASM




DESIGNER	J.CHEN	
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	
CLASS	CHUJO	
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		Part No . 42X6815
		EC No . L13971
		TITLE: Waikiki_1.1 Ver. V6.00
		LOAD SW B&UBAY
LENOVO CONFIDENTIAL		sheet 94 of 101 Thursday, May 31, 2007





DESIGNER	J.CHEN	<div>lenovo联想</div> <div>Part No . 42X6815</div> <div>EC No . L13971</div> <div>TITLE: Waikiki_1.1 Ver. V6.00</div> <div>POWER MONITOR</div> <div>sheet 96 of 101</div> <div>Thursday, May 31, 2007</div>
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	
CLASS	CHUJO	
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		
LENOVO CONFIDENTIAL		

PTH FOR SCREW HOLE



DESIGNER	J.CHEN	<div>lenovo联想</div> <div>Part No . 42X6815</div> <div>EC No . L13971</div> <div>TITLE: Waikiki_1.1 Ver. V6.00</div> <div>PTH SCREW HOLES</div> <div>sheet 97 of 101</div> <div>Thursday, May 31, 2007</div>
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	
CLASS	CHUJO	
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		
LENOVO CONFIDENTIAL		


EC History List

SDV Phase ----->

EC#	PAGE	Description
WK_SDV_EC001	20	R341 & R27 : 2.2K => 4.7K for DVI ID read fail W /A EC; SDVO_CTRL_DATA/CLK Pullup value change.
WK_SDV_EC002	88	R598 : 47K 5% => 43.2K 1%,C819 & C820 : 22UF => 10UF/6.3V/10%/2125, to correct value of VCC 1R25AMT
WK_SDV_EC003	10	R184 : ASM=>NO ASM, to set default to LOW POWER PCIE (same as DaV -1-Integ/Disc, DaV-3-Disc)
WK_SDV_EC004	12	C762 : 0.1UF => 0.47UF/6.3V/10%/1005,C681, C683 : 0.1UF => 0.22UF/6.3V/10%/1005, C733 : 0.1UF => 2.2UF/6.3V/10%/1608, C579 : 10UF =>2.2UF/6.3V/20%/2125, C580 : 10UF => 4.7UF/6.3V/10%/2125, to meet Intel Design Review results
WK_SDV_EC005	84	R829 : 6.19K 1% 1005 to adjust voltage of VCC 1R05M
WK_SDV_EC006	48	Change R1005 from pull down to pull up in order to support MS card
WK_SDV_EC007	60	R939 ASM(100kQ) -> No ASM
WK_SDV_EC008	63	R690 : NOASM => 100K ASM,Add 100Kohm pulldown to PANEL_POWER_ON (to meet Intel D.G)
WK_SDV_EC009	45	R908 : 27K => 16.2K/1%/1005, to change MICVCC from 4.7V to 3.3V for AD1984
WK_SDV_EC010	32	R345 ASM -> NO_ASM (0ohm),R1009 NO_ASM -> ASM (0ohm, 83G3823) to enable GbE Disabling from BIOS Setup Menu
WK_SDV_EC012	28	Romove Q108 and nets to remove Security LED Completely
WK_SDV_EC013	22	Q45 : Change NchMOSFET from 2SK3019 to 2SK3541
WK_SDV_EC014	11	Add R772 100K/1% pulldown resistor to VGA_BLON (to meet Intel D.G)
WK_SDV_EC015	59	Add C764,C879,C880,C881,(1000pF x 4) at audio lines near the Dock connector.
WK_SDV_EC016	75	Add C882 100pF at ACDC_ID near the DC connector(J24)
WK_SDV_EC017	75	Add Q91,Q97,R773 to prevent inrush current from AC adapter to Battery
WK_SDV_EC018	75	Change placement net of R11 and R264 in order to prevent connection with VINT 20
WK_SDV_EC019	85	Remove Q15,R403,R425,R429,R521,R537,R538,R540,R579,R586,R587,R590,R602,r73 change R494 to 22K 5%, ASM, Change R501,R541,R519,R549,R520 from NO_ASM to ASM, for GFX_VID PULLUP W/A until BIOS start for Crestline ES1, ES2(Parmanent EC)
WK_SDV_EC020	44	Delete R1014,R1015, R1017, R1018, This resiser prevent to on these FET due to low voltage level.
WK_SDV_EC022	61	Add R943 100K 5% pullup
WK_SDV_EC023	14	Change Cap. Parameter C204,C205,C205 from 10V 10% TO 6.3V, 10%
WK_SDV_EC024	12	ADD C883,C884,C885,C886,C887,C888, AND Remove C734,C735,C736, FOR Add de-cap to VCCGFXCORE
WK_SDV_EC025	19	Change C732,C672,C673,C213,C739,C708,C716 to NO_ASM, and change R335,R336,R76 to 1 Ohm to follow supplier 's recommendation
WK_SDV_EC026	28	Change R668 to NO_ASM and R764 to ASM, because GMCH PWM problem was fixed by BIOS correction
WK_SDV_EC027	88	add five 0 ohm resistors: R1053,R1054,R403,R425,R429 in order to follow AMT NON Support
WK_SDV_EC028	26,27	Insert two blank pages between Page 26 and Page27.
WK_SDV_EC029	52,56,59,74	Add Docking BOM Option Tables
WK_SDV_EC030	63	Add R540,R579, 0 Ohm NO_ASM for no Touch Pad support
WK_SDV_EC031	65,67	Change R305,C293,J26 to NO_ASM for no legacy IO
WK_SDV_EC032	37,94	Add R586,R587, and add FixedBay or SwapBay BOM Option tables

EC#	PAGE	Description
WK_SDV_EC058	46	Change system speaker function with BEEP.
WK_SDV_EC059		Add comments for rating of power components.
WK_SDV_EC060	42	C7002 : should be 4.7uF 10V X5R,Q99 : 2SK3541 -> DTC115
WK_SDV_EC061	61,32	Delete 0ohm jumpers and connect directly of H8,and Delete NETDETECT signal.
WK_SDV_EC062	70	Change from D1 to R7052 0ohm and Delete R212.
WK_SDV_EC063	48	To remove hook for R5C584,and circuit for 2nd port of IEEE1394 termination and non-internal regulator
WK_SDV_EC064	48	To update ASM option for IEEE1394 support case(R5C847, R5C803) and non support case (R5C804)
WK_SDV_EC065	32	Pull-up R272 for CL_RST_WLAN# -> NO_ASM : Intel's recommendation
WK_SDV_EC066	31	Add 4in1 Slot Presence Detection ID.
WK_SDV_EC067	48	To implement feedback of Circuit review by Ricoh
WK_SDV_EC068	60	ADD RC circuit for fix G-sensor noise problem
WK_SDV_EC069	70	DEL C41 to remove stub of LPCLLK for TATER
WK_SDV_EC070	81	ADD R7051 R7052 in order to support MAX17003 for Discharge function of VCC3M and VCC5M
WK_SDV_EC071	91	ADD R7045 DEL R868,R820,R876,R900 for change RINKAN-1 circuit for correction.
WK_SDV_EC072	70	Change TC7WB125FK to TC7SB384FU,TC7WB126FK to TC7SB385FU due to cost reduction
WK_SDV_EC073	55	Change C626,C627 to 0402.
WK_SDV_EC074	59,61	Change F14 : ASM -> NOASM,C7073,C7074,C7075,C7076 from 470pf to 330pf.
WK_SDV_EC075	76	Change C99,C90,C233 from 1uF/16V -> 1uF/10V in order to reflect cap.
WK_SDV_EC076	86	U.7.5 add MPWRG signal workaround for backup
WK_SDV_EC077	55	Remove MDI_DETECT circuit and Change the power source of Magnetics from VCC1R8AUX to VCC2R5M.
WK_SDV_EC078	53	Modify NVRAM strapping and Connect ENERGY_DET to MDI_DETECT.
WK_SDV_EC079	53	Change BCM power source and add some decoupling Cap.
WK_SDV_EC080	53	VMAINPRSN connects VCC3B through R7029,LOW_PWR connects -GBE_DISABLE,Add 0ohm on LAN_XTALI.
WK_SDV_EC081	92	Add VCC1R2M Logic for Broadcom BCM5787M support
WK_SDV_EC082	93	Add VCC2R5M Logic for Broadcom BCM5787M support
WK_SDV_EC083	86,87,91,93	Delete VCC1R8AUX and VCC1R8M,ADD VCC1R8A.
WK_SDV_EC084	72	Make device option for G-SENSOR.
WK_SDV_EC085	32	Follow EC043 correct some signal.
WK_SDV_EC086	92	Del Q86 for del VCC3VIDEO power.
WK_SDV_EC087	32,64	ADD -PHY_PD_ICH signal then use it and -GBE_DISABLE to generate AUX_ON.
WK_SDV_EC088	7	Del R135,R387.
WK_SDV_EC089	64	Change SPI interface signal jumper resistor from 0 ohm to 33 ohm.
WK_SDV_EC090	85	Add pull-down resistor on Gfx_VID signal.
WK_SDV_EC091	11	change R772 to 100k +-5%,change R7071/R7072 to 33 +-5% for cost reduce.
WK_SDV_EC092	38	change FL7 to ACM2012-900-2P,R650/651 to 0 ohm 0603.
WK_SDV_EC093	10	Add R7073/R7074 on GFXCORE_ON signal for INTEL comment.
WK_SDV_EC094	50	Change PCMCIA Slot to new One.
WK_SDV_EC095	80,93	Change Q12.1 to VCC1R8A,add R7064 0ohm between U3.7 to U3.6,del R373 and VCC1R8M_ON signal.

WK_SDV_EC096	53	Correct the broadcom lan circuit,like change Ferrite bead to bigger type.
WK_SDV_EC097	31,32,64	Terminate opened pin and unused pin on ICH8M,and del -GBE_DISABLE net.
WK_SDV_EC098	84	Delete of VCC1R05M power rail.
WK_SDV_EC099	84	Change assignment of PC card slot connector.
WK_SDV_EC0100	19,33,54	Modify PCIE interface of BCM5787M,remove Robson interface.
WK_SDV_EC0101	63	Del C631 and C636 on the FPR USB lines.
WK_SDV_EC0102	54,57	Add bypass capacitors for VCC3B at miniPCIE slots.
WK_SDV_EC0103	32	Change R7006 from NO_ASM to ASM.
WK_SDV_EC0104	52,53,54,57	Change MID* netname to MDI* ,correct PCIE slot connect,add Lan eeprom table.
WK_SDV_EC0105	37	Del CD_IN function on ODD.
WK_SDV_EC0106	23	Change R7083 to 130 ohm,D7006 to SML_A10MT.TC7WB125AFK to TC7SBL384AFU.
WK_SDV_EC0108	32	Correct 4_in_1 slot ID.
WK_SDV_EC0109	91	Enable Rinkan_1 -LPMORE function.
WK_SDV_EC0110	53	Follow WK_SDV_EC096. Add strap option for Broadcom.
WK_SDV_EC0111	50	Delete VCC3_MC at PC card slot.
WK_SDV_EC0112	23	Add comments for xd function route.
WK_SDV_EC0113		Location ID to be consistent to DaVinci-3.Only change Location IDs . NO CHANGE in connection in schematics.
WK_SDV_EC0114	86	Change L11 to CDRH104R_1R5UH_10A follow DV3.
WK_SDV_EC0115	31,53	Connect LAN_RSTSYNC on ICH8 To GND,and modify LAN strapping table.

DESIGNER	J.CHEN	
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	
CLASS	CHUJO	Part No . 42X6815
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		EC No . L13971
LENOVO CONFIDENTIAL		TITLE: Waikiki_1.1 Ver. V6.00
		EC History 1
		sheet 98 of 101
		Thursday, May 31, 2007

EC History List 2

EC#	PAGE	Description
WK_SDV_EC0116	45,46,61	Add beep enable circuit and correct connection.
WK_SDV_EC0117	53	Add pull-up resistor R7097 for EEPROM WP signal.
WK_SDV_EC0118	23	Change J29 to Tyco from FOXCONN.
WK_SDV_EC0119	85	Correct discription.
WK_SDV_EC0120	85	Change R7062 rename to R212.
WK_SDV_EC0121	86	Del R17 and not connect MPWRG on U7.5 PIN
WK_SDV_EC0122	23	Correct slot pin.
WK_SDV_EC0123	38	R650/R651 marge to 1 network resistor RN5.
WK_SDV_EC0124	52,53,55	Change pin definition of T1/T2/U12.
WK_SDV_EC0125	61	Change RN54 to discrete resistor .
WK_SDV_EC0126		Parameter change and Error Correction.
WK_SDV_EC0127	84	R598,R601,C819,C820 Part value change.
WK_SDV_EC0128	58	DEL U53,U6 function for Live SPI rom one chip only.
WK_SDV_EC0129	95	No asm R996,Q64 change LPMODE EC.
WK_SDV_EC0130	52	ADD C637 ASSEMBLE STATION ON TABLE.
WK_SDV_EC0131	45	Move Panasonicamplifier from planar layout to dummy subcard.
WK_SDV_EC0132	36	BOM change,J1 change to HAS1-2DFB12-51K.
WK_SDV_EC0133	81	BOM change,ADP3209 update to X5 version.
WK_SDV_EC0134	81	Change C482 to R1072 for use ADP3209 X5.
WK_SDV_EC0135	61	Change R1042 to 10K 5%.
WK_SDV_EC0136	91	Change C609 U1 O603 to 2.2U 0805 for prevent power shutdown when AC Adapter attached.
WK_SDV_EC0137	41	Disconnect U8 centerpad from AGND.
WK_SDV_EC0138	53	Add test point to U8 pin4,8,9.
WK_SDV_EC0139	52	RC termination should be NO_ASM.R611, R613, R615, R661, R610, R612, R660, R614, C528, C532, C527, C529 -> NO_ASM
WK_SDV_EC0140	56	Please stuff the TVS diode D103,D104 of Ethernet.
WK_SDV_EC0141	53	Change U7003 to 24C64 for the evaluation on DV4.After the evaluation without any issue, we plan to use 24L01 for Volume production to reduce the cost.stuff R7075 R7077,no asm R7076 R7078.
WK_SDV_EC0142	45	Change R655,R833,R700,R66 to 47K 5%,R67 No_asm.
WK_SDV_EC0143	85	Change ADP3209 X5 P/N to #DV3190.
WK_SDV_EC0144	72	Update logic table to support new G_sensor ST Micro LIS244AL.
WK_SDV_EC0145	85	Update L23 to #DV3127 SPM10040T-R56M150
WK_SDV_EC0146	85	Update L11 to #DV3014
WK_SDV_EC0147		Update #DV3123 description to CHIP 0.6UH +-20% 8.2A SMT 2PIN .
WK_SDV_EC0148		Just correct/update description of schematic.
WK_SDV_EC0149	23	Change J29 P/N to 42W3121.
WK_SDV_EC0150		BOM correction /update
WK_SDV_EC0151		BOM correction /update
WK_SDV_EC0152		Correction of Schematics description
WK_SDV_EC0153		Change C11 from 0.01uF to 0.022uF for Capacitance of B_DRV being 0.05uF
WK_SDV_EC0154		to change Integ GFXCORE DC-DC in order to meet Intel GMCH spec.
WK_SDV_EC0155	91	Change R72 to NO_ASM to prevent power shutdown problem when AC is attached.
WK_SDV_EC0156	46	Change R984 to 10k 5%.
WK_SDV_EC0157	85	Change R905 from 59k to 43.2k for shortstage of factory.
WK_SDV_EC0158	59	F14 NO_ASM to ASM,41A9437

AMOM Phase ----->

EC#	PAGE	Description
WK_AMOM_EC001	32	Planar ID : 0000b -> 0001b.R671 : NOASM -> ASM,R114 : ASM -> NOASM
WK_AMOM_EC002	23	Correction design symbol of 4-in-1 slot,MemoryStick signal assignments were reversed.
WK_AMOM_EC003	70	Add logic to fix 187 error.Use location ID Q113 for 2SK354land Q114 for DTA114EEA for consistecy
WK_AMOM_EC004		with Coronado-3.
WK_AMOM_EC005		Correction Layout design error in SDV
WK_AMOM_EC006	32	Correct design error as symbol of MMBT3904WT1 in SDV
WK_AMOM_EC007	53	Add 100k ohm pull-up to VCC3M at GPIO12 of ICH8M.
WK_AMOM_EC008		Add 0ohm R7115 tie-down resistor at pin#11 of U7002
WK_AMOM_EC009	28	EC for Modem,include Add modem DAA logic, delete UWB slot, delete WPAN LED logic, delete MDC Connector
WK_AMOM_EC010	32,65,67	Change power source F16 for USB camera from VCC 5B to VCC3B.
WK_AMOM_EC011	39,40,41,42,43,45,46	DEL Legacy I/O support. Del R305,Q86,R214,J26,and add R7118.
WK_AMOM_EC012	39	EC for Audio portion of AMOM.
WK_AMOM_EC013	47	Pull up U7014 pin RCOSC to VCC3M for wake up event.
		Modem connector change to same as RTC battery connector.

V1.50 (2006/10/24)

WK_AMOM_EC014	39	Add R7111 39.2k for enable speaker channel.
WK_AMOM_EC015	47	Add modem connector to follow Conexant design.
WK_AMOM_EC016		Silkscreen:"KONA-A"-->"KONA-B".
WK_AMOM_EC017		ADD insulation sheet to BOM.
WK_AMOM_EC018	45	DEL Panasonic amplifier circuit.

SIV Phase ----->


EC#	PAGE	Description
V2.00 (2006/11/16)		
WK_SIV_EC001	32	Planar ID : 0001b -> 0010b
WK_SIV_EC002	48,49	Change R5C847 to revised part (Ricoh P/N : R5C847-CSP208Q, Lenovo P/N : #DV3209)
WK_SIV_EC003	93	Add Cap C7129 0.01uF to NRCS pin of BD3508 for no overshoot of VCC 2R5M.
WK_SIV_EC004	92	Add tracking circuit to BD 3551HFN for no overshoot of VCC 1R2M.
WK_SIV_EC005	81	Add level shift circuit (3.3V -> 5V) to "-PM_SLP_S3" (High Level 3.3V) in order to meet Skip function spec of MAX 8744 IC.
WK_SIV_EC006	32	To change VCC1R25B DC-DC Swtiching -> LDO for Cost reduction
WK_SIV_EC007	81	No asm MAX8744 discharge circuit
WK_SIV_EC008	90	Add c7127 0.033uF 1005 to CLPWRG circuit in order to terminate an unexpected pulse,and change digital-transistor to 2SC4617.
WK_SIV_EC009	88	- to correct "DAV3_SIT_EC057".
WK_SIV_EC010	14	VCCA,CRT_DAC, VCCA_TV DAC Power is changed to Linear Regulator (3.3V, 300mA)
WK_SIV_EC011	32	in order to improve efficiency of VCC5M and VCC3M during Power-on low power mode
WK_SIV_EC012	85	to change R691,R716 resistor size for downsizing.
WK_SIV_EC013	20	Add C631 on net SDVQ_CTRLDATA for reduce noice.
WK_SIV_EC014	49,50	Follow RICOH review to change C218,C226,C415.
WK_SIV_EC015		To add Drive signal name on each DC-DC
WK_SIV_EC016	57	To add 10uF cap. for VCC3B of PCIe Cards .(No-ASM)
WK_SIV_EC017	70	Add D7013,R7133 to fix voltage leakage from VCC3M to VCC3AMT,and add eeprom for asset ID option circuit.
WK_SIV_EC018		to change maker P/N because of EOL Page76 Q4 : FDS6990A -> FDS8978 (Fairchild) Page59 Q85, Page75 Q34 :SI4435ADY -> SI4435BDY.
WK_SIV_EC019	32,62	To add SLP_S5# to H8 for AMT function
WK_SIV_EC020		"WK_SIV_EC020 C760 To add EEFCDD0221MX (2V 220uF 15mΩ) Panasonic on BOM as an alternative of C67# C262# C743 C945# (77P1928)."
WK_SIV_EC021	28	Add capacitor C23 between -BDC_PRESENCE and GND.
WK_SIV_EC022	14	1)MOW WW39 VCCD_QDAC Design change.2)GMCH-H/VSINC 33=>30 R change.3)Intel Review decap change to 0.001uF
WK_SIV_EC023	29	H/VSYNC to CRT L25,L24 change to 30ohm risistor.
WK_SIV_EC024	10	GFXCORE_ON Pullup R73 change to 30K ohm
WK_SIV_EC025	85	GFXVID2 Pullup R494.2 change to VCC3B
WK_SIV_EC026	34	to change AMT power architecture for power reduction
WK_SIV_EC027	12	Add 22UF Cap.C7130 to VCC1R8A near Crestline (Intel Recommendation)
WK_SIV_EC028	82	to change C190= 390PF 10% 1005 in order to meet the requirement of GCM
WK_SIV_EC029	14	to change C690, C725 from 470uF to 220uF.
WK_SIV_EC030	42	To add ESD protection on audio jack for new ESD standard as NO ASM.
WK_SIV_EC031	97	Change J20(OG 363040) to NO ASM.
WK_SIV_EC032	30,31	Change pull-up RN on PATA bus
WK_SIV_EC033	20	to change C631 from 56pF to 68pF and change R341 from 4.7K to 5.6K for W/A for DVI detection fail with ROM 18, 19, 20WW."

V2.01 (2006/11/21)

WK_SIV_EC034	70	Delete IATER chip (AT8356908),Add new TPM chip WPCT200WG,U46 and nearby parts : NOASM -> ASM
WK_SIV_EC035	81	to change from MAX8744 to MAX17003
WK_SIV_EC036	31	Add pull down R7141 to un-used GPIO pin
WK_SIV_EC037	97	Delete Hole (TP34 & TP35) and GND Pad
WK_SIV_EC038	81	Correction for WK_SIV_EC005
WK_SIV_EC039	88	Correction for WK_SIV_EC006
WK_SIV_EC040	85	Correction for WK_SIV_EC015
WK_SIV_EC041	29	follow up for WK_SIV_EC023
WK_SIV_EC042	6	Change C445, R476 and R477 on ITP interface to NO ASM.
WK_SIV_EC043	91	Change CLPWRG connection
WK_SIV_EC044	57	Delete SIM Socket,NOASM WWAN Socket
WK_SIV_EC045	20	NOASM DVI I/F chip CH7307C.
WK_SIV_EC046	31	Disconnect "-CPUSB" & "-CPPE" from ICH
WK_SIV_EC047	57	To add 1uF cap. for VCC3M and VCC1R5B of PCIe Cards

V2.02 (2006/11/23)

WK_SIV_EC048	81	to change R221 2.4K, R44 1.6K in order to adjust OCP point.
WK_SIV_EC049	95	to make all parts of Max power control(LPMODE) circuit NO_ASM because RINKAN-1 has this function inside.
WK_SIV_EC050	20	R27 : 4.7Kohm -> 3.9Kohm (NOASM)
WK_SIV_EC051	70	U31: Change to Lenovo P/N 41R0763 (Atmel AT97SC3203-X5A30) Revision 1.2.D.05 from Lenovo P/N 41A1090
WK_SIV_EC052	47	Change AMoM components to Lenovo P/N
WK_SIV_EC053	91	in order to prevent to be applied over stress to input N-channel MOSFET Gate
WK_SIV_EC054	92	to no_asm VCC2R5B cirucit and change C614 and C11 for DVI no_asm
WK_SIV_EC055	80	to elete VCC3VIDEO circuit for not use.
WK_SIV_EC056	70	to Correction for WK_SIV_EC034
WK_SIV_EC057	87	Follow-up for WK_SIV_EC043
WK_SIV_EC058	57	Correction for WK_SIV_EC047,asm C7139 C7140.
WK_SIV_EC059		Change Audio AMP From MAX9789 to AN12946A.

DESIGNER	J.CHEN	
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	Part No. 42X6815
CLASS	CHUJO	EC No. L13971
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		TITLE: Waikiki_1.1 Ver. V6.00
		EC History 2
LENOVO CONFIDENTIAL		sheet 99 of 101 Thursday, May 31, 2007

EC History List 3

EC# PAGE Description

V2.03 (2006/11/27)

WK_SIV_EC060	45	Audio AMP schematics Review Comment by Panasonic
WK_SIV_EC061	81	Correction for WK_SIV_EC048
WK_SIV_EC062	94	Correction for WK_SIV_EC054
WK_SIV_EC063		Change VCC0R9A to VCC0R9B to reduce suspend power consumption
WK_SIV_EC064	47	MBR1, MBR2 : Update Lenovo PN TMP-51 -> 41U5466
WK_SIV_EC065	70	2 TPM solution dual lay.
WK_SIV_EC066	27	Add check ponit card circuit.

V2.04 (2006/12/04)

WK_SIV_EC067	5	Add R7157 to support alternate source of U1.
WK_SIV_EC068	19	Change some resistor fr each clk signal base on signal test.
WK_SIV_EC069	97	Del J20 (EMI finger)
WK_SIV_EC070	39	ADD driver ability circuit for SPDIF
WK_SIV_EC071	47	Follow Conexant advice add MJ4,MJ5.

V2.05 (2006/12/07)

WK_SIV_EC072	20	R72 change bigger to increase SPD High Voltage and decrease SPD Low Voltag at SPC setup timing
WK_SIV_EC073	30	Change pull-up on PATA bus and change to ASM.□□□
WK_SIV_EC074	19	BOM update : Clock Gen new revision (2 sources, alternate) on U2□□□
WK_SIV_EC075	61	Change signal name to correct the polarity.□□□
WK_SIV_EC076	46	Q15 ASM <- NO ASM□□□
WK_SIV_EC077	65	Change P/N of NS SuperI/O to Winbond P/N□□□
WK_SIV_EC078	91	Rinkan-1 Revision update (U61): Lenovo P/N may be changed .□
WK_SIV_EC079	56	BOM change J19: 42W3188 (JST, BM04B-SRSS-TBT (LF) (SN)) from 91P9290 (tyco, 1734595-4)□□□
WK_SIV_EC080	76	to change R211: 12.7K -> 16.9K 0.5% in order to make -EXTPWR signal Low when 16V Adapter is attached.
WK_SIV_EC081		Add ASM/NOASM table for TPM and integrated mic

V2.06 (2006/12/13)

WK_SIV_EC082	75	change R715 -> 270 5% 0603
WK_SIV_EC083	56	BM04B-SRSS-TBT (LF) (SN) <- BM04B-SRSS-TBT (LFXSN)
WK_SIV_EC084		Insulation Sheet, Bottom_CPU: 42W2759 from 42R9976
WK_SIV_EC085		Lenovo P/N update:TMP-93 -> #DV3107 : R5C804,TMP-90 -> 38L5170 : PCA24S08D-T
Rev.LATEST,TMP-98		-> #DV3254 : MAX17003EJT+
WK_SIV_EC086	55	Add ASM/NO_ASM table to page 55.
WK_SIV_EC087	46	R66: 4.7k Ohm 5% <- 47K 5%
WK_SIV_EC088	53	tuning parameter for Y 7001

V2.07 (2006/12/15)

WK_SIV_EC089		Insulation Sheet 42W2759 from 42R9976
WK_SIV_EC090		Add Dock/Audio asm table.

QS-DV6 Phase ----->

EC# PAGE Description

V2.50 (2007/01/05)

WK_QS_EC001	32	Planar ID : 0011b <- 0010b
WK_QS_EC002	48	J28 : Change to Molex higher one.
WK_QS_EC003	69	U4: MAX6602UE9A+ <- MAX6689,Delete C33/Q21/R404
WK_QS_EC004	75	To change C72 -> 1000pF to reduce ringing voltage of DC-IN
WK_QS_EC005	85	To change R595 from140K to 162K for VCCGFXCORE OCP adjustment.
WK_QS_EC006	82	to change R746,R750 from 165K to 150K for VCCCPUCORE loadline adjusting .to change R246 from 215k to 195k for VCCCPUCORE OCP adjusting.
WK_QS_EC007	32	Correct Pull-up of R37 : VCC3M <- VCC3B
WK_QS_EC008	34	To add 2.2uF Capacitor C7141 between VCCGLANPLL and GND. This is Intel's strong recommendation.
WK_QS_EC009	23	J29 (4-in-1 slot) changes to improved one Lenovo P/N 42W3192 (tyco 1981456-1) from 42W3121
WK_QS_EC010	61	Change R218,R7160 to indicate Thermal sensor ID.

V2.51 (2007/01/10)

WK_QS_EC011		BOM change to QS samples of Intel Chipset
WK_QS_EC012	53	Broadcom EEPROM size change for Self -boot code
WK_QS_EC013	61	Add pull-up R7161 for KBGA20# from Intel AMT workshop feedback
WK_QS_EC014	48	Follow WK_QS_EC002: Apply to change 1394 connector to Molex 48126-1211
WK_QS_EC015	69	Apply WK_QS_EC003 assessment
WK_QS_EC016	32	Follow WK_QS_EC001 Update BOM: R114 -> NOASM, R671 -> ASM
WK_QS_EC017	23	J29: #DV3283 (tyco 1989456-1) <- 42W3121
WK_QS_EC018	86	To change R508 to 62K 5% 1/16W 1005 for VCC1R8A OCP adjusting.
WK_QS_EC019	87	To change R149 from 1ohm to 2ohm for VCC1R05B ringing fail.to change R599 from 1ohm to 2ohm for VCC1R5M ringing fail.
WK_QS_EC020	27	Del small debug card circuit.

V2.52 (2007/01/12)

WK_QS_EC021	48,49	U20: #DV3293 (Ricoh R5C847-CSP208Q(Lotcode 7Ax0FQ or later)) <- #DV3209
WK_QS_EC022	82	to change R246 to 196K 1% for VCCCPUCORE OCP adjusting.
WK_QS_EC023	23	J29: #DV3283 (tyco 1981456-1) <- tyco 1989456-1
WK_QS_EC024	32	C7122 : 41A9849 1000pF 10% X7R 50V <- 04P9749 1000pF 10% X7R 25V
WK_QS_EC025	65	U26 : 41R0755 (Winbond WPCN385LAODG) <- #DV3104 (Winbond WPCN385CDG) 41R0755 doesn't support CIR.

V2.53 (2007/01/25)

WK_QS_EC026	87	To connect PG00D2 to BPWRG to reduce the affection of VCC1R5M's undershoot.
-------------	----	---

SIT Phase ----->

EC# PAGE Description

V3.00 (2007/01/29)

WK_SIT_EC001	32	Planar ID chagne 0010b-->0100b
WK_SIT_EC002	87	To connect "PG00D2" to "BPWRG" to reduce the affection of VCC1R5M's undershoot.
WK_SIT_EC003	31	Del comments.
WK_SIT_EC004	29	To change RGB line's Beads value in order o minimize undershoot voltage.
WK_SIT_EC005	53	Cut the SM BUS to Broadcom.
WK_SIT_EC006	53	To support low_pwr mode of BCM5787M.
WK_SIT_EC007	41	To separate bias voltage of mic amp from int mic.
WK_SIT_EC008		For cost, change Lan EEPROM to 24C04.

WK_SIT_EC010	43,45	To adjust sound quality om microphone,to optimize Mute circuit
WK_SIT_EC011	81	To connect U41-22PIN to MPWRG for workaround of Toshiba Rinkan MPWRG problem.
WK_SIT_EC012	5	To add second source of U1.

V3.01 (2007/01/30)

WK_SIT_EC013	52	Remove the temination for Ethernet.
--------------	----	-------------------------------------

V3.02 (2007/02/01)

WK_SIT_EC014	94	To change C706 to 0.047uf for quick ramp-up of VCC5B in order to delete a little of VR_PWRGD for CPU CORE.
WK_SIT_EC015	41	Add ASM/NOASM table for KONA config.
WK_SIT_EC015	28	Change C313 to 41A1111 1uF/25V 0603.
WK_SIT_EC016		Update ASM option table for waikiki_1.1_low and Kona-1.1.

V3.03 (2007/02/07)

WK_SIT_EC018	41	Follow WK_SIT_EC015,correct typo in description
WK_SIT_EC019	86	To change comment of U7 to MAX8632.
WK_SIT_EC020	51	U7003 : Lenovo P/N 41R0777
WK_SIT_EC021		ADD revised R5C804 in Kona-1.1 BOM
WK_SIT_EC022		ADD Crestline-GL in USI KONA BOM
WK_SIT_EC023		Additional insulation sheet.
WK_SIT_EC024		To drop ISL88550A (Intersil) as U7 alternate component because it has some issues

V3.04 (2007/02/13)

WK_SIT_EC025	1	To modify title Page.
WK_SIT_EC026		To drop RJK)#!^DSP from all bom at SIT phase.
WK_SIT_EC027		F3 change to 0 ohm 0603,F7 change to 0 ohm 1206
WK_SIT_EC029		U61 Toshiba Rinkan version change to 1.5.
WK_SIT_EC030		D103,D104 change to NO_ASM,U12 use TS31500ERHUR or PI13L500A.

V3.05 (2007/02/23)

WK_SIT_EC031		U31 change to 41A1090 (AT97SC3203)
WK_SIT_EC032		To change the parameter and capacitor value for ADP3207A.
WK_SIT_EC033		U31 not ASM in Kona

SIT-R Phase ----->

EC# PAGE Description

V4.00 (2007/03/09)


WK_SITR_EC001		move location of TP16,not move TP19
WK_SITR_EC002		Test point location
WK_SITR_EC003		Planar ID : 0101b <- 0100b
WK_SITR_EC004		LOW_PWR signal will be controlled by AUX_ON.
WK_SITR_EC006		Follow WK_SITR_EC002
WK_SITR_EC007		To reduce Power and Cost
WK_SITR_EC008		Preparation for a pad of capacitor on BPWRG signal. It should be NOASM
"WK_SITR_EC009		LAN_RST# should be terminated by 8.2-10 kΩ pull down resistor to GND if an Intel? 82566
M/MC		
		integrated LAN solution is not used."
WK_SITR_EC010		C326/C348 : 4pF 50V 0402 <- 6pF 50V 0402
WK_SITR_EC011		U20 : R5C804 (ES2) <- drop R5C803 from alternates

V4.01 (2007/03/13)

WK_SITR_EC012		ADD 3CAP on line out line for fix AUDIO CPI issue.
WK_SITR_EC013		For TPM LPCPD# function correction just in case.(N
WK_SITR_EC014		Add PD resistor on dock HP-out to reduce noise
WK_SITR_EC015		Add Ferrite bead on line out signal

V4.02 (2007/03/15)

WK_SITR_EC016		ADD 3CAP on U7014 BIAS pin for CPI issue.
WK_SITR_EC018		LPC clock quality R337 change to 0ohm.
WK_SITR_EC019		U31 change to AT97SC3203-X5A50 D0.09(1.2)

DESIGNER	J.CHEN	
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	Part No. 42X6815
CLASS	CHUJO	EC No. L13971
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		TITLE: Waikiki_1.1 Ver.V6.00
LENOVO CONFIDENTIAL		EC History 2
		sheet 100 of 101 Thursday, May 31, 2007

EC History List 4

SVT Phase ----->

EC#PAGEDescription

V5.00 (2007/04/19)

WK_SVT_EC001 Planar ID change to 0110B
WK_SVT_EC002 Fix ESD at right Speaker.


V5.01 (2007/05/07)

WK_SVT_EC003 ADD ASM OPTION
WK_SVT_EC004 R7171/R7172 NO ASM
WK_SVT_EC005 ASM OPTION LIST UPDATE
WK_SVT_EC006 ADD ASM OPTION AT PAGE2
WK_SVT_EC007 D91 NOT ASM FOR KONA
WK_SVT_EC008 Correct R5C847 description

SOVP Phase ----->

V.600 (2007/05/15)

WK_SOVP_EC001 Planar ID change to 0111B
WK_SOVP_EC002 ADD C7155 for CPI problem.
WK_SOVP_EC003 change R899 to 0 ohm for suspend issue.

DESIGNER	J.CHEN	
CHECKED	Ogawa & OKU	
APPROVED	CHUJO	
CLASS	CHUJO	
THIS DOCUMENT IS THE PROPERTY OF LENOVO. ITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO. ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.		Part No . 42X6815
		EC No . L13971
		TITLE: Waikiki_1.1 Ver. V6.00
		EC History 2
LENOVO CONFIDENTIAL		sheet 101 of 101 Thursday, May 31, 2007